



D4293-1 FITTING

PRELIMINARY ISSUE

Rev. PA3

CP 10.11.16

NOTES:

- 1) MATERIAL: 7075-T73/-T7351/-T73510/-T73511 BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR AMS-QQ-A-250/12 (AMS 4078)
REF DART SPEC. M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N "D4293-1" AND B/N PER DART QSI 044 6.1
- 7) WEIGHT: 1.19 lbs

PA3	ANGLED FACE MOVED 0.050 INWARD	CP	10.11.16
A	NEW ISSUE	CP	10.11.09
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	CP		
CHECKED	CP	DRAWING NO.	REV. A PA3
MFG. APPR.	CP	D4293	SHEET 1 OF 3
APPROVED	CP	TITLE	SCALE
DE APPR.		FITTING (206L AFT)	NTS
DATE	10.11.09	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

